Types of phakomatosis pigmentovascularis associated with nevus cesius

Daniele Torchia[1] ✉

[1]*Department of Dermatology, James Paget University Hospital, Great Yarmouth, United Kingdom.*

I – Full text articles containing case reports or small case series of phacomatosis cesioflammea.

1. Sato S, Sato S, Kukita A. A case of phacomatosis pigmentovascularis. Rinsho Derma (Tokyo). 1969;11:667-73. Japanese.
2. Furukawa T, Igata A, Toyokura Y, Ikeda S. Sturge-Weber and Klippel-Trénaunay syndrome with nevus of Ota and Ito. Arch Dermatol. 1970;102:640-5.
3. Harada T. Phacomatosis pigmentovascularis (Takano-Krüger-Dohi type). Jpn J Clin Dermatol. 1970;24:877-81. Japanese.
4. Noriega-Sanchez A, Markand ON, Herndon JH. Oculocutaneous melanosis associated with the Sturge-Weber syndrome. Neurology. 1972;22:256-62.
5. Reinke RT, Haber K, Josselson A. Ota nevus, multiple hemangioma and Takayasu arteritis. Arch Dermatol. 1974;110:447-50.
6. Ortonne JP, Floret D, Coiffet J, Cottin X. Syndrome de Sturge-Weber associé à une mélanose oculo-cutanée: étude clinique, histologique et ultrastructurale d'un cas. [Sturge-Weber syndrome associated with oculocutaneous melanosis: a clinical, histological and ultrastructural study of a case]. Ann Dermatol Venereol. 1978;105:1019-31. French.
7. Kitamura W, Iwai M, Sakamoto K. A case of phacomatosis pigmentovascularis. Jpn J Clin Dermatol. 1981;35:399-405. Japanese.
8. Kim BH, Oh YJ, Lee KW, Houh W. Bilateral Ota nevus and bilateral Ito nevus: 2 cases of extensive dermal melanocytic nevi associated with vascular nevus. Korean J Dermatol. 1981;19:503-7. Korean.
9. Kikuchi I, Okazaki M. Congenital temporal alopecia in phakomatosis pigmentovascularis. J Dermatol. 1982;9:485-7.
10. Youn JI, Joh GY, Lee AY, Lee YS. Four cases of phakomatosis pigmentovascularis. Korean J Dermatol. 1985;23:112-9. Korean.
11. Terai N, Hasegawa Y, Yasuhara M, Murata M, Kuroda K, Sakai T. A case of phakomatosis pigmentovascularis type IIb composed of nevus of Ota, nevus of Ito, Sturge-Weber syndrome, Klippel-Trenaunay-Weber syndrome and basal cell epitheliomas on nevus flammeus. Skin Res. 1986;28:34-43. Japanese.
12. Novotny EJ Jr, Urich H. The coincidence of neurocutaneous melanosis and encephalofacial angiomatosis. Clin Neuropathol. 1986;5:246-51.
13. Adrien A, Lacour JP, Rostain G, Ortonne JP. Phacomatose pigmento-vasculaire type IIb. [Phacomatosis pigmentovascularis type IIb]. Ann Dermatol Venereol. 1986;113:915-6. French.
14. Makoto H. Phacomatosis pigmentovascularis. Skin Res. 1986;28:783-4. Japanese.
15. Ruiz-Maldonado R, Tamayo L, Laterza AM, Brawn G, Lopez A. Phacomatosis pigmentovascularis: a new syndrome? Report of four cases. Pediatr Dermatol. 1987;4:189-96.
16. Leung AK, Lowry RB, Mitchell I, Martin S, Cooper DM. Klippel-Trenaunay and Sturge-Weber syndrome with extensive Mongolian spots, hypoplastic larynx and subglottic stenosis. Clin Exp Dermatol. 1988;13:128-32.
17. Ebihara Z, Sakuraoka K, Shimizu H, Naka Y, Harada T. Two cases of phakomatosis pigmentovascularis. Jpn J Clin Dermatol. 1988;42:1047-53. Japanese.
18. Guillaume JC, Evenou P, Charpentier P, Avril MF. Phakomatose pigmento-vasculaire type IIa. [Phacomatosis pigmentovascularis type IIa]. Ann Dermatol Venereol. 1988;115:1113-5. French.
19. Rhee JK, Ko IJ, Kim HO, Kim CW. A case of phakomatosis pigmentovascularis with eye involvement. Korean J Dermatol. 1989;27:320-4. Korean.
20. Sihota R, Kumar H, Sood NN. The additive influence of nevus flammeus and the nevus of Ota on congenital glaucoma. Indian J Ophthalmol. 1991;39:122-4.
21. Choi SB, Lee JY, Kim YH, Houh W. A case of phakomatosis pigmentovascularis association with congenital temporal alopecia. Korean J Dermatol. 1991;29:252-5. Korean.
22. Morikawa A. A case of phacomatosis pigmentovascularis with Sturge-Weber syndrome and Klippel-Weber syndrome. J Jpn Dermatol Assoc. 1992;11:37-41. Japanese.
23. Oh CK, Moon DC, Kwon KS, Chung TA. Phakomatosis pigmentovascularis. Ann Dermatol. 1992;4:103-7.
24. Kaise M, Watanabe A, Kobayashi Y. A case of phacomatosis pigmentovascularis accompanied with esophageal varices due to hypoplasia of the portal veins. Gastroenterol Jpn. 1992;27:546-9. Japanese.
25. Cambazard F, Cozzani E. Phacomatosis pigmentovascularis type IIa in a black child. Eur J Dermatol. 1992;2:500-2.
26. Peyron N, Dereure O, Bessis D, Guilhou JJ, Guillot B. La phacomatose pigmento-vasculaire. A propos de 2 cas associés à une angiodysplasie. [Phakomatosis pigmento-vascularis. Report of 2 cases associated with angiodysplasia.] J Mal Vasc. 1993;18: 336-9. French.
27. Gilliam AC, Ragge NK, Perez MI, Bolognia JL. Phakomatosis pigmentovascularis type IIb with iris mammillations. Arch Dermatol. 1993;129:340-2.
28. Kurasawa K. A case of phacomatosis pigmentovascularis with Klippel-Weber syndrome. Rinsho Derma (Tokyo). 1994;36:641-4. Japanese.
29. Jorquera E, Ortega M, Navas J, Camacho F. Facomatosis pigmentovascular. [Phacomatosis pigmentovascularis]. Med Cut Ibero-Latino-Am. 1994;22:369-71. Spanish.
30. Park SM, Park KI, Joo HJ, Namgung R, Lee C, Han DG, et al. A case of phakomatosis pigmentovascularis. J Korean Pediatr Soc. 1994;37:1156-61. Korean.
31. Kim KR, Lee SH, Wang HY, Sung HS. A case of phakomatosis pigmentovascularis associated with ocular abnormalities. Korean J Dermatol. 1994;32:1072-6. Korean.
32. Yamagishi K. A case of phacomatosis pigmentovascularis associated with macrocephaly and Sturge-Weber syndrome. Jpn J Clin Dermatol. 1994;48:693-5. Japanese.

✉ Corresponding author: daniele.torchia@gmail.com

33. Mirshams-Shahshahani M, Safaii-Naraghi Z, Mortazavi MR. Phakomatosis pigmentovascularis: report of a case. Acta Med Iranica. 1995;33:35-8.
34. Turki H, Triki C, Frikha M, Ben Jemaa B, Boudaya S, Bouassida S, et al. La phacomatose pigmento-vasculaire de type IIa. [Phacomatosis pigmentovascularis type IIa]. Nouv Dermatol. 1995;14:59-60. French.
35. Ougusa Y, Tanaka S, Sumiyama M. Phacomatosis pigmentovascularis (Type IIa). Skin Res. 1995;37:219-20. Japanese.
36. de Luna ML, Barquin MA, Casas JG, Sidelsky S. Phacomatosis pigmentovascularis with a selective IgA deficiency. Pediatr Dermatol. 1995;12:159-63.
37. Nagase A, Takahashi S, Fujioka A. Phacomatosis pigmentovascularis (IIa) with smooth muscle proliferation. Rinsho Derma (Tokyo). 1995;37:937-40. Japanese.
38. Van Gysel D, Oranje AP, Stroink H, Simonsz HJ. Phakomatosis pigmentovascularis. Pediatr Dermatol. 1996;13:33-5.
39. Kwok CY. Phakomatosis pigmentovascularis: a commonly misdiagnosed entity. Singapore Paediatr J. 1996;38:131-5.
40. Cincinnati P, Carucci T, Rutiloni C. La facomatosi pigmentovascolare. [Phacomatosis pigmentovascularis]. Minerva Pediatr. 1996;48:225-8. Italian.
41. Ribas J, Da Rocha Ribas CB, Schettin APM. Facomatose pigmentovascular: relato de caso. [Phacomatosis pigmentovascularis: case report]. An Bras Dermatol. 1997;72:163-6. Portuguese.
42. El Ouazzani T, Skali H, Habibeddine S, Jarmouni R, Lakhdar H. La phacomatose pigmento-vasculaire. [Phacomatosis pigmentovascularis]. Ann Pédiatr (Paris). 1997;44:127-30. French.
43. Kim YY, Lee SJ, Lee TS. A case of congenital glaucoma associated with phakomatosis pigmentovascularis. J Korean Ophthalmol Soc. 1997;38:413-6. Korean.
44. Achtelik W, Tronnier M, Wolff HH. Kombinierter Naevus flammeus und Naevus fuscocoeruleus: phacomatosis pigmentovascularis Typ IIa. [Combined nevus flammeus and nevus fuscocoeruleus: phacomatosis pigmentovascularis type IIa]. Hautarzt. 1997;48:653-6. German.
45. Chow KY. Case 1: a child with phakomatosis pigmentovascularis. Hong Kong Dermatol Venereol Bull. 1998;6:11-13.
46. Recupero SM, Abdolrahimzadeh S, De Dominicis M, Mollo R. Sturge-Weber syndrome associated with naevus of Ota. Eye (Lond). 1998;12:212-3.
47. Lee JY, Lee JS, Park JH, Lee SY, Whang KU, Chung H. Two cases of phakomatosis pigmentovascularis. Korean J Dermatol. 1998;36:506-10. Korean.
48. Hagiwara K, Uezato H, Nonaka S. Phacomatosis pigmentovascularis type IIb associated with Sturge-Weber syndrome and pyogenic granuloma. J Dermatol. 1998;25:721-9.
49. Du LC, Delaporte E, Catteau B, Destee A, Piette F. Phacomatosis pigmentovascularis type II. Eur J Dermatol. 1998;8:569-72.
50. Di Landro A, Tadini GL, Marchesi L, Cainelli T. Phakomatosis pigmentovascularis: a new case with renal angiomas and some considerations about the classification. Pediatr Dermatol. 1999;16:25-30.
51. Mandt N, Blume-Peytavi U, Pfrommer C, Krengel S, Goerdt S. Phakomatosis pigmentovascularis type IIa. J Am Acad Dermatol. 1999;40:318-21.
52. Balsa RE, Reynoso GA, Ingratta SM, Martín CA. Asociación de síndromes de Sturge-Weber-Dimitri y Klippel-Trénaunay con nevo de Ota bilateral: una variante de la facomatosis pigmentovascular. [Association of Sturge-Weber-Dimitri and Klippel-Trénaunay syndromes with bilateral nevus of Ota: a variant of phacomatosis pigmentovascularis]. Arch Argent Dermatol. 1999;49:277-83. Spanish.
53. Shin SS, Kim SJ, Lee SC, Won YH. A case of phakomatosis pigmentovascularis type IIb associated with perirenal lipomatosis. Korean J Dermatol. 1999;37:1069-73. Korean.
54. Requena Caballero C, Febrer Bosch MI, Requena Caballero L, Navarro Mira MA, Obon Losada L. Facomatosis pigmentovascular tipo IIb. [Phacomatosis pigmentovascularis type IIb]. Actas Dermosifiliogr. 1999;90:579-81. Spanish.
55. Huang C, Lee P. Phakomatosis pigmentovascularis IIb with renal anomaly. Clin Exp Dermatol. 2000;25:51-4.
56. Joshi A, Sah SP, Agrawal SC, Agarwalla A, Jacob M. Bilateral extensive port-wine stain (naevus flammeus) with persistent aberrant Mongolian spots: phakomatosis pigmentovascularis type IIa in a Nepalese girl. Indian J Dermatol. 2000;45:41-3.
57. Ono I, Tateshita T. Phacomatosis pigmentovascularis type IIa successfully treated with two types of laser therapy. Br J Dermatol. 2000;142:358-61.
58. Murdoch SR, Keefe M. Phakomatosis pigmentovascularis type IIa in a Caucasian child. Pediatr Dermatol. 2000;17:157.
59. Uysal G, Güven A, Ozhan B, Oztürk MH, Mutluay AH, Tulunay O. Phakomatosis pigmentovascularis with Sturge-Weber syndrome: a case report. J Dermatol. 2000;27:467-70.
60. Kim HJ, Park KB, Yang JM, Park SH, Lee ES. Congenital triangular alopecia in phakomatosis pigmentovascularis: report of 3 cases. Acta Derm Venereol. 2000;80:215-6.
61. Narchi H, Santos M, Tunnessen WW Jr. Picture of the month. Phakomatosis pigmentovascularis. Arch Pediatr Adolesc Med. 2001;155:191-2.
62. Fujii N, Mori N, Deguchi H, Mochizuki T, Kaji A, Sugiura H, Uehara M. A case of phacomatosis pigmentovascularis (type IIa). Jpn J Clin Dermatol. 2001;55:166-8. Japanese.
63. Cho S, Choi JH, Sung KJ, Moon KC, Koh JK. Phakomatosis pigmentovascularis type IIb with neurologic abnormalities. Pediatr Dermatol. 2001;18:263.
64. Méndez Sánchez TD, Otero Alba ID, García García R, Pérez Tamayo B. Síndrome de Klippel-Trenaunay-Weber: presentación de un caso. [Klippel-Trenaunay-Weber syndrome: a case presentation]. Rev Cub Oftalmol. 2001;14:47-9. Spanish.
65. Lee H, Choi SS, Kim SS, Hong YJ. A case of glaucoma associated with Sturge-Weber syndrome and nevus of Ota. Korean J Ophthalmol. 2001;15:48-53.
66. Kim GN, Yu DS, Choi HC, Oh CH. A case of phakomatosis pigmentovascularis associated with congenital glaucoma. Korean J Dermatol. 2001;39:940-2. Korean.
67. Li W, Zhang J. Phakomatosis pigmentovascularis. J Clin Dermatol. 2002;31:1-2. Chinese.
68. Hori K, Kong T, Kikuchi Y, Ohkubo R, Iwasaka S, Nozaki M. Multi-laser treatment for phacomatosis pigmentovascularis. J Jpn Soc Laser Surg Med. 2002;23:53-7. Japanese.

69. Saricaoğlu MS, Güven D, Karakurt A, Sengun A, Ziraman I. An unusual case of Sturge-Weber syndrome in association with phakomatosis pigmentovascularis and Klippel-Trenaunay-Weber syndrome. Retina. 2002;22:368-71.
70. Dal Kim K, Lee MH. Phakomatosis pigmentovascularis associated with pyogenic granuloma as well as Sturge-Weber syndrome and Klippel-Trenaunay syndrome. Ann Dermatol. 2002;14:158-60.
71. Kim YC, Park HJ, Cinn YW. Phakomatosis pigmentovascularis type IIa with generalized vitiligo. Br J Dermatol. 2002;147:1028-9.
72. Lo PY, Tzung TY. Phakomatosis pigmentovascularis type IIb with a patent umbilical vein and inferior vena cava hypoplasia. Br J Dermatol. 2003;148:836-8.
73. Vidaurri-de la Cruz H, Tamayo-Sánchez L, Durán-McKinster C, Orozco-Covarrubias Mde L, Ruiz-Maldonado R. Phakomatosis pigmentovascularis IIa and IIb: clinical findings in 24 patients. J Dermatol. 2003;30:381-8.
74. Kono T, Erçöçen AR, Chan HH, Kikuchi Y, Hori K, Uezono S, et al. Treatment of phacomatosis pigmentovascularis: a combined multiple laser approach. Dermatol Surg. 2003;29:642-6.
75. Cuenca A, Varas C, De Mariscal A, Torrelo A, Zambrano A. Facomatosis pigmentovascular tipo IIa. [Phacomatosis pigmentovascularis type IIa]. Actas Dermosifiliogr. 2003;94:464-6. Spanish.
76. Park JG, Roh KY, Lee HJ, Ha SJ, Lee JY, Yun SS, et al. Phakomatosis pigmentovascularis IIb with hypoplasia of the inferior vena cava and the right iliac and femoral veins causing recalcitrant stasis leg ulcers. J Am Acad Dermatol. 2003;49:S167-9.
77. Zarandy JI, Clark S, Shew K, Center SS, Anderson SC. Phacomatosis cesioflammea: a case report of a newborn with an unusual Mongolian spot and port wine stain. JAOCD. 2003;32:52-4.
78. Schwartz A, Zegpi E. Facomatosis pigmentovascular: a propósito de dos casos. [Phacomatosis pigmentovascularis: two case reports]. Rev Chil Dermatol. 2004;20:260-3. Spanish.
79. Colin TS, Sujith PW. Phakomatosis pigmentovascularis type IIb: a case report. J Dermatol. 2004;31:415-8.
80. Al Robaee A, Banka N, Alfadley A. Phakomatosis pigmentovascularis type IIb associated with Sturge-Weber syndrome. Pediatr Dermatol. 2004;21:642-5.
81. Hatasa C, Esaki C, Kamiya H. A case of phacomatosis pigmentovascularis (IIb) treated with laser. Jpn J Clin Dermatol. 2004;58:1197-9. Japanese.
82. Rujsuthi S, Polnikorn N. Case 20. In: Ramathibodi Hospital Interhospital Dermatology Conference; 2004 Aug 6; Bangkok, Thailand.
83. Risco A, Sánchez G, Moisés C. Facomatosis pigmentovascularis tipo IIb: reporte de un caso. [Phacomatosis pigmentovascularis type IIb: case report]. Dermatol Peru. 2005;15:55-7. Spanish.
84. Qi H, Zhang W, Zhang J. A case of phakomatosis pigmentovascularis. Chin J Dermatol. 2005;38:184. Chinese.
85. Sorhage B. Increased pigmentation of the sclera and periorbital region associated with increased cutaneous vascularization of the left arm. J Dtsch Dermatol Ges. 2005;3:301-3.
86. Amir Houchink, Ehsani; Mariam, Ghayathi; Reda Mahmoud, Rabati. Phakomatosis pigmentovascularis. Iranian J Dermatol. 2005;8:426-9. Persian.
87. Tran HV, Zografos L. Primary choroidal melanoma in phakomatosis pigmentovascularis IIa. Ophthalmology. 2005;112:1232-5.
88. Jouhadi Z, Benjelloun A, Benchikhi H, Abid A. Phacomatose pigmentovasculaire à propos d'une observation pédiatrique. [Phacomatosis pigmentovascularis: a pediatric case report]. Nouv Dermatol. 2005;24:461-2. French.
89. Lee CW, Choi DY, Oh YG, Yoon HS, Kim JD. An infantile case of Sturge-Weber syndrome in association with Klippel-Trenaunay-Weber syndrome and phakomatosis pigmentovascularis. J Korean Med Sci. 2005;20:1082-4.
90. Ott H, Lassay L, Hutten M, Megahed M, Merk H, Baron J. Phakomatosis pigmentovascularis type IIa (phakomatosis cesioflammea). Hautarzt. 2006;57:439-40.
91. Ajith C, Narang T, Kanwar AJ. Phakomatosis pigmentovascularis type IIb associated with Sturge-Weber syndrome. Clin Exp Dermatol. 2006;31:590-2.
92. Ehsani AH, Tork AN, Yazdanian S. Report of a case of Klippel-Trenaunay syndrome associated with bilateral nevus of Ota. Iranian J Dermatol. 2006;9:12. Persian.
93. Li H, Tan C, Chen L, Min Z. A case of phakomatosis pigmentovascularis type IIa. Chin J Dermatovenereol. 2006;20:751-2. Chinese.
94. Peng J, Liu YH, Fang K. Phakomatosis pigmentovascularis. J Clin Dermatol. 2006;35:788-9. Chinese.
95. Bukulmez A, Haktanir NT, Koken R, Melek H, Yavas G, Dilek FH. A 10-month-old boy with phacomatosis cesioflammea. Eur J Pediatr Dermatol. 2007;17:9-12.
96. Fernández-Guarino M, Boixeda de Miguel P, Jaén Olasolo P. Phacomatosis cesioflammea. Dermatology. 2007;214:274.
97. Onsun N, Inandirici A, Kural Y, Teker C, Atilganoglu U. Phakomatosis pigmentovascularis type IIb with bilateral hearing impairment. J Eur Acad Dermatol Venereol. 2007;21:402-3.
98. Ji SZ, Zhao Y. Report of one case of phakomatosis pigmentovascularis. Chin J Dermatovenereol. 2007;21:173-4. Chinese.
99. Sami AS, Marwan AA. Glaucoma in phakomatosis pigmentovascularis type IIb associated with Sturge-Weber syndrome. Saudi J Ophthalmol. 2007;21:204-7.
100. Gupta A, Dubey S, Agarwal M. A case of Sturge-Weber syndrome in association with phakomatosis pigmentovascularis and developmental glaucoma. J AAPOS. 2007;11:398-9.
101. Ohkusa Y. Nevus with hemangioma: phacomatosis pigmentovascularis. Visual Dermatol. 2007;6:922-3.
102. Hall BD, Cadle RG, Morrill-Cornelius SM, Bay CA. Phakomatosis pigmentovascularis: implications for severity with special reference to Mongolian spots associated with Sturge-Weber and Klippel-Trenaunay syndromes. Am J Med Genet A. 2007;143A:3047-53.
103. Balighi K, Lajevardi V, Ghiasi M, Farahani F, Nikou A. A case report of phakomatosis pigmentovascularis in a patient with discoid lupus erythematosus and epidermal naevus. Iranian J Dermatol. 2008;11:34-7. Persian.
104. Castori M, Rinaldi R, Angelo C, Zambruno G, Grammatico P, Happle R. Phacomatosis cesioflammea with unilateral lipohypoplasia. Am J Med Genet A. 2008;146A:492-5.
105. Yu WL, Zeng D, Yuan KH, Chen K. Two cases of nevus of Ota associated with nevus of Ito and nevus flammeus. J Clin Dermatol. 2008;37:103-4. Chinese.
106. Ecra E, Enoh S, Kouamé AK et al. La phacomatose pigmentovasculaire type 2a. [Phacomatosis pigmentovascularis type 2a]. Nouv Dermatol. 2008;27:333-5. French.
107. Yin Z, Bi Z, Zhao B. Phakomatosis pigmentovascularis: a case report and literature review. China J Leprosy Skin Dis. 2008;24:704-5. Chinese.

108. Kanaheswari Y, Hamzaini AH, Wong SW, Zulfiqar A. Malignant hypertension in a child with phakomatosis pigmentovascularis type IIb. Acta Paediatr. 2008;97:1589-91.
109. Wu CY, Chen PH, Chen GS. Phacomatosis cesioflammea associated with pectus excavatum. Acta Derm Venereol. 2009;89: 309-10.
110. Chiu HH, Chen GS, Wu CS, Ke CL, Cheng ST. Phakomatosis cesioflammea with late-onset glaucoma and acquired nevus spilus-like lesion. Int J Dermatol. 2009;48:416-8.
111. Zhang H, Yin G, Cai B, Li D. Phakomatosis pigmentovascularis: a case report. Chin J Dermatovenereol. 2009;23:683. Chinese.
112. Quiroz PC, Silva AS. Facomatosis pigmentovascularis: revisión y nueva clasificación. [Phacomatosis pigmentovascularis: review and new classification]. Rev Chil Dermatol. 2010; 26:36-40. Spanish.
113. Yeung HH. Glaucoma associated with phacomatosis pigmentovascularis. J Pediatr Ophthalmol Strabismus. 2010;47:10-33.
114. Moutray T, Napier M, Shafiq A, Fryer A, Rankin S, Willoughby CE. Monozygotic twins discordant for phacomatosis pigmentovascularis: evidence for the concept of twin spotting. Am J Med Genet A. 2010;152A:718-20.
115. Obi EE, Hawksworth NR. Bilateral naevus of Ota in association with Klippel-Trenaunay syndrome. Eye (Lond). 2010;24:736.
116. Goyal T, Varshney A. Phacomatosis cesioflammea: first case report from India. Indian J Dermatol Venereol Leprol. 2010;76: 307.
117. Finklea LB, Mohr MR, Warthan MM, Darrow DH, Williams JV. Two reports of phacomatosis pigmentovascularis type IIb, one in association with Sturge-Weber syndrome and Klippel-Trenaunay syndrome. Pediatr Dermatol. 2010;27:303-5.
118. Chhajed M, Pandit S, Dhawan N, Jain A. Klippel-Trenaunay and Sturge-Weber overlap syndrome with phakomatosis pigmentovascularis. J Pediatr Neurosci. 2010;5:138-40.
119. Zhang R, Zhu WY. Phakomatosis pigmento-vascularis type IIb consisting of generalized Mongolian spot associated with Klippel-Trenaunay syndrome. Eur J Pediatr Dermatol. 2010; 20:243-6.
120. Vidya Lakshmi S. A clinical study of hemangiomas and vascular malformations. Chennai (India) The Tamilnadu DR.M.G.R. Medical University Chennai; 2010. 105 p.
121. Joshi A, Manchanda Y, Rijhwani M. Port-wine-stain with rare associations in two cases from Kuwait: phakomatosis pigmentovascularis redefined. Gulf J Dermatol Venereol. 2011;18: 59-64.
122. Shields CL, Kligman BE, Suriano M et al. Phacomatosis pigmentovascularis of cesioflammea type in 7 patients. Arch Ophthalmol. 2011;129:746-50.
123. Turk BG, Turkmen M, Tuna A, Kilinc Karaarslan I, Ozdemir F. Phakomatosis pigmentovascularis type IIb associated with Klippel-Trénaunay syndrome and congenital triangular alopecia. J Am Acad Dermatol. 2011;65:e46-9.
124. Castori M, Sarazani S, Binni F, Pezzella FR, Cruciani G, Grammatico P. Monozygotic twin discordance for phacomatosis cesioflammea further supports the post-zygotic mutation hypothesis. Am J Med Genet A. 2011;155A:2253-6.
125. Qiao J, Fang H. Birthmarks: phacomatosis pigmentovascularis. Med J Aust. 2011;195:709.
126. Unger R, Alsufyani MA. Bilateral temporal triangular alopecia associated with phakomatosis pigmentovascularis type IV successfully treated with follicular unit transplantation. Case Rep Dermatol Med. 2011;2011:129541.
127. Cadavid M, Zapata F, Velásquez N. Facomatosis pigmentovascularis asociada a síndrome de Klippel-Trenaunay y a alopecia triangular: reporte de caso. [Phakomatosis pigmentovascularis associated with Klippel-Trenaunay syndrome and triangular alopecia: case report]. CES Med. 2012;26:229-36. Spanish.
128. Okunola P, Ofovwe G, Abiodun M, Isah A, Ikubor J. Phakomatosis pigmentovascularis type IIb in association with external hydrocephalus. BMJ Case Rep. 2012;2012:bcr1220115432.
129. Rasi A, Tabaie M, Hassannejad H. Phakomatosis pigmentovascularis type IIa. Iranian J Dermatol. 2012;15:62-5. Persian,
130. An L, Li T, Sun X. Phakomatosis pigmentovascularis: a case report. J Clin Dermatol. 2012;41:613. Chinese.
131. Wobser M, Goebeler M, Hamm H. Extensive red and blue patches in a young girl. Klin Padiatr. 2013;225:46-7.
132. Gachago MM, Marco SA. Glaucoma in phakomatosis pigmentovascularis in a 4 year old African girl: a case report. J Ophthalmol East Cent South Afr. 2013;17:37-40.
133. Ruiz Villaverde R, Galán Gutierrez M, Sierra Córcoles C. Nevus flammeus, mancha mongólica aberrante y clínica neurológica. [Nevus flammeus, aberrant Mongolian spot and neurological symptoms]. An Pediatr (Barc). 2013;78:125-6. Spanish.
134. Sonmez FM, Aksoy A, Sari A, Erpolat S, Ozkaya AK. Phacomatosis pigmentovascularis type IIB associated with Sturge-Weber syndrome. Genet Couns. 2013;24:247-50.
135. Henry CR, Hodapp E, Hess DJ, Blieden LS, Berrocal AM. Fluorescein angiography findings in phacomatosis pigmentovascularis. Ophthalmic Surg Lasers Imaging Retina. 2013;44:201-3.
136. Brittain P, Walsh EJ, Smidt AC. Blotchy baby: a case of phakomatosis pigmentovascularis. J Pediatr. 2013;162:1293.
137. Krema H, Simpson R, McGowan H. Choroidal melanoma in phacomatosis pigmentovascularis cesioflammea. Can J Ophthalmol. 2013;48:e41-2.
138. Garg A, Gupta LK, Khare AK, Kuldeep CM, Mittal A, Mehta S. Phacomatosis cesioflammea with Klippel Trenaunay syndrome. Indian Dermatol Online J. 2013;4:216-8.
139. Okayasu T, Matsubara M, Kobayashi K, Okada M. Phacomatosis pigmentovascularis resulting in developmental glaucoma. J Eye. 2013;30:1014-6. Japanese.
140. Chen LW, Tsai YS, Lee JS, Tu YF, Huang CC. Extensive subarachnoid venous angiomatosis with hydrocephalus in phacomatosis pigmentovascularis. Neurology. 2013;81:1020-1.
141. Kurokawa R, Kim P, Kawamoto T et al. Intramedullary and retroperitoneal melanocytic tumor associated with congenital blue nevus and nevus flammeus. Neurol Med Chir (Tokyo). 2013;53:730-4. Japanese.
142. Volker S, Voelcker T, Konetzny G, Zeilinger G, Kohler H. Sturge-Weber syndrome, phakomatosis pigmentovascularis and Down syndrome in a newborn. Swiss Med Wkly. 2013;143: 21S-22S.
143. Segatto MM, Schmitt EU, Hagemann LN, Silva RC, Cattani CA. Phacomatosis pigmentovascularis type IIa—case report. An Bras Dermatol. 2013;88:85-8.
144. Göksügür YD, Şereflican YD, Göksügür N, Bekdaş YD, Demircioğlu F, Kabakuş N. Fakomatozis pigmentovaskülaris tip IIB ile Sturge Weber sendromu. [Phakomatosis pigmentovascularis type IIb with Sturge Weber syndrome]. Dermatoz. 2014;5:1-4. Turkish.

145. Mandal RK, Ghosh SK, Koley S, Roy AC. Sturge-Weber syndrome in association with Klippel-Trenaunay syndrome and phakomatosis pigmentovascularis type IIb. Indian J Dermatol Venereol Leprol. 2014;80:51-3.
146. Lin Y, Liu H, Wang X. Phakomatosis pigmentovascularis: two cases report and literature review. China J Leprosy Skin Dis. 2014;30:83-4. Chinese.
147. Turan E, Yeşilova Y, Sürücü HA, Tanrikulu O. Fakomatozis pigmentovaskülaris IIa cesioflammea. [Phakomatosis pigmentovascularis IIa cesioflammea]. Harran Univ Tip Fak Derg. 2014;11:184-5. Turkish.
148. De Pooter JC, Toonstra J, Bruijnzeel-Koomen CAFM. Phacomatosis pigmento-vascularis cesioflammea. Ned Tijdschr Dermatol Venereol. 2014;24:340-1. Dutch.
149. Luo RJ, Lu C, Li JB, Liang YT. A case of phacomatosis pigmentovascularis. Chin J Dermatovenereol. 2014;28:624-5. Chinese.
150. Sgarbi CR, Hostalácio ID, Tranquillini G, Villa RT, Ferreira LF, Bedin V. Facomatose pigmentovascular: Relato de caso. [Phacomatosis pigmentovascularis: Case report]. Med Cut Ibero Lat Am. 2014;42:133-5. Spanish.
151. Sen S, Bala S, Halder C, Ahar R, Gangopadhyay A. Phakomatosis pigmentovascularis presenting with Sturge-Weber syndrome and Klippel-Trenaunay syndrome. Indian J Dermatol. 2015;60:77-9.
152. Ünlü E, Şahin T. A neonatal case of phacomatosis pigmentovascularis type IIa. Balkan Med J. 2015;32:129-30.
153. Patil B, Sinha G, Nayak B, Sharma R, Kumari S, Dada T. Bilateral Sturge-Weber and phakomatosis pigmentovascularis with glaucoma, an overlap syndrome. Case Rep Ophthalmol Med. 2015;2015:106932.
154. Ma H, Liao M, Qiu S, Luo R, Lu R, Lu C. The case of a boy with nevus of Ota, extensive Mongolian spot, nevus flammeus, nevus anemicus and cutis marmorata telangiectatica congenita: a unique instance of phacomatosis pigmentovascularis. An Bras Dermatol. 2015;90:10-2.
155. Pathania V, Kumar A. Phacomatosis pigmentovascularis with Raynaud's phenomena. Med J Armed Forces India. 2015;71: S119-S21.
156. Yang Y, Guo X, Xu J, Ye Y, Liu X, Yu M. Phakomatosis pigmentovascularis associated with Sturge-Weber syndrome, Ota nevus, and congenital glaucoma. Medicine (Baltimore). 2015; 94:e1025.
157. Kaur T, Sharma N, Sethi A, Kooner S, Banger H. Phacomatosis cesiomarmorata with hypospadias and phacomatosis cesioflammea with Sturge-Weber syndrome, Klippel-Trenaunay syndrome and aplasia of veins—case reports with rare associations. Dermatol Online J. 2015;21:13030.
158. Hassan I, Yaseen A, Qureshi T, Ahmad K, Shah PA. Phacomatosis cesioflammea and Sturge-Weber syndrome overlap in a 2-year-old boy. Indian J Paediatr Dermatol. 2015;16:258-60.
159. Lee B, Jeong HJ, Choi YH, Choi CW, Park JD. Severe rhabdomyolysis in phacomatosis pigmentovascularis type IIb associated with Sturge-Weber syndrome. Korean J Crit Care Med. 2015;30:329-35.
160. Fischer K, Trautinger F. Phacomatosis pigmentovascularis. J Dtsch Dermatol Ges. 2015;13:1178-9.
161. Wang H, Lin T. A case report of phakomatosis pigmentovascularis type II. J Clin Dermatol. 2015;44:709-10. Chinese.
162. Pradhan S, Patnaik S, Padhi T, Nayak BP. Phakomatosis pigmentovascularis type IIb, Sturge-Weber syndrome and cone-shaped tongue: an unusual association. Indian J Dermatol Venereol Leprol. 2015;81:614-6.
163. Al Hawsawi K, Al Barnawi N, Hudairy R, Alaauldeen S, Malawi I. Phakomatosis pigmentovascularis: case report of type IIa. Open Dermatol J. 2016;1:19-21.
164. Gupta K, Gupta LK, Mittal A, Khare AK, Mehta S, Balai M. Phacomatosis cesioflammea in a 5-week-old infant. Indian J Paediatr Dermatol. 2016;17:48-9.
165. Jha AK, Sinha R, Prasad S, Kumar D. Phakomatosis cesioflammea with bilateral frontal atrophy. Indian Dermatol Online J. 2016;7:128-30.
166. Xu N, Tao J, Tan ZJ, Yang L, Zhu SH. Phacomatosis pigmentovascularis combined with congenital preauricular fistula. J Clin Dermatol. 2016;45:204-7. Chinese.
167. Liu XL, Gao L, Li ZZ. Phakomatosis pigmentovascularis: report of three cases. J Clin Dermatol. 2016;45:265-7. Chinese.
168. Nanda A, Al-Abdulrazzaq HK, Habeeb YK, Zakkiriah M, Alghadhfan F, Al-Noun R, et al. Phacomatosis pigmentovascularis: report of four new cases. Indian J Dermatol Venereol Leprol. 2016;82:298-303.
169. Zhou H, Han J, Mao R, Chen M. Choroidal melanoma in phacomatosis pigmentovascularis cesioflammea. Indian J Dermatol Venereol Leprol. 2016;82:339-42.
170. Girish M, Nanoti G, Banait Y. Phacomatosis pigmentovascularis type IIa: a case report. Indian J Child Health. 2016;3:181-2.
171. Wen G, Zhou C, Zhang J. Phacomatosis pigmentovascularis: a case report. Chin J Dermatovenereol. 2016;30:974. Chinese.
172. Villarreal DJ, Leal F. Phacomatosis pigmentovascularis of cesioflammea type. An Bras Dermatol. 2016;91:54-6.
173. Madke B, Kar S, Gangane N, Singh N. Phacomatosis cesioflammea in association with von Recklinghausen disease (neurofibromatosis type I). Cutis. 2017;99:E35-7.
174. Woo SH, Kwak HB, Park SK, Yun SK, Kim HU, Park J. An unusual case of phakomatosis pigmentovascularis type IIb with Becker's nevus. Eur J Dermatol. 2017;27:83-5.
175. Atalay HT, Bektaş Ç, Mammadova N, Novrozlu Ş, Hepşen İF, Aktaş Z. Fakomatozis pigmentovaskülarisli bir konjenital glokom olgusu. [A case of congenital glaucoma with phakomatosis pigmentovascularis.]. Glokom-Katarakt. 2017;12: 151-4. Turkish.
176. Namiki T, Takahashi M, Nojima K et al. Phakomatosis pigmentovascularis type IIb: a case with Klippel-Trenaunay syndrome and extensive dermal melanocytosis. J Dermatol. 2017; 44:e32-3.
177. Chowdhry S, Yadav N, Umrigar D, Shukla A. Naevus of Ota with port-wine stain: a rare entity. J Pak Assoc Dermatol. 2017; 27:293-7.
178. Trivedi NV, Vhankade RA, Patel RB. A case report of phakomatosis pigmentovascularis. J Clin Ophthalmol Res. 2017;5:91-3.
179. Deng Q, Wang C, Li C, Xiong J, Wang Y, Zhang L, Bi J. Phacomatosis pigmentovascularis: a case report. Chin J Dermatovenereol Integr Trad West Med. 2017;16:458-9. Chinese.
180. Plateroti AM, Plateroti R, Mollo R, Librando A, Contestabile MT, Fenicia V. Sturge-Weber syndrome associated with ocular melanocytosis and choroidal haemangioma. Case Rep Ophthalmol. 2017;8:375-84.

181. Yin R, Sun Y, Li L, Wang C, Ma L. Clinical analysis of 18 cases of phakomatosis pigmentovascularis. J Clin Dermatol. 2017; 46:483-7. Chinese.
182. Petchyim S. Congenital glaucoma associated with phakomatosis pigmentovascularis in an infant: case report. Siriraj Med J. 2017;69:217-9.
183. Prabhu PB, Soman D, Babitha V. Conjunctival melanosis with retinal vessel tortuosity: an unusual presentation of Sturge-Weber syndrome. Kerala J Ophthalmol. 2017;29:226-9.
184. Guo XC, Blackwood LA, Chan LS. Irregular erythematous patch on the face of an infant. Cutis. 2017;100:E4-6.
185. Ha JW, Hahm JE, Park SE, Lee JY, Kim CW, Kim SS. A case of phacomatosis pigmentovascularis type IIa in a Korean infant. Ann Dermatol. 2017;29:638-9.
186. Wong KW, Tey KE. Phacomatosis pigmentovascularis type II: case report. Malaysian J Dermatol. 2018;40:69-72.
187. Viada Peláez MC, Stefano PC, Cirio A, Cervini AB. Facomatosis pigmentovascular tipo cesioflammea: a propósito de un caso. [Phakomatosis pigmentovascularis cesioflammea: a case report]. Arch Argent Pediatr. 2018;116:e121-4. Spanish.
188. Singal A, Mittal H, Aggarwal A, Das S, Manchanda S. Phacomatosis pigmentovascularis type 2b with novel associations. Pediatr Dermatol. 2018;35:e151-4.
189. Singh K, Dangda S, Mutreja A, Bhattacharyya M, Jaisingh K. Bilateral phacomatosis pigmentovascularis with developmental glaucoma. J Curr Glaucoma Pract. 2018;12:94-8.
190. Almeida FT, Caldas R, Duarte MDL, Brito C. Port-wine stain as a clue for two rare coexisting entities. BMJ Case Rep. 2018; 2018:bcr2018225721.
191. Xu S, Zhang Q, Liu T, Zhang Y, Sun N. A female infant with phacomatosis pigmentovascularis and congenital chylous ascites. Medicine (Baltimore). 2018;97:e12012.
192. Gupta R, Wadhwani AR, Singh K, Kanodia SK. Phakomatosis pigmentovascularis type IIb with seizures. Indian J Clin Dermatol. 2018;1:30-1.
193. Shields CL, Di Nicola M, Pellegrini M, Shields JA. Choroidal melanoma in phacomatosis pigmentovascularis with Klippel-Trenaunay syndrome. Retina. 2018;38:2220-7.
194. Saki N, Rahmanian F, Saki S. A teenage girl with bilateral hyperpigmentation and vascular stain: diagnosis. Iranian J Dermatol. 2018;21:147-8. Persian.
195. Singh P, Potdar NA, Patil A, Mohite PK, Shinde CA, Bandivadekar P. Phakomatosis pigmentovascularis coexisting with variant Sturge-Weber syndrome. Delhi J Ophthalmol. 2019;29: 61-3.
196. Vallejo Lewis VA, Torres Herrera M, Gonzalez Grajales IA. Facomatosis tipo Cesioflammea: Reporte de caso de neonato con Manchas Mongólicas y Vino oporto. Una presentación simple de una condición dermatológica compleja. [Phakomatosis Cesioflammea type: a Case Report of a Newborn with Mongolian Spots and Port Wine Stains. A simple presentation of a complex dermatological condition]. Pediátr Panamá. 2019;48:14-8. Spanish.
197. Chávez-López DD, Méndez-Bacca I, Poletti-Vázquez ED. Facomatosis pigmentovascular tipo IIb tratada con láser colorante pulsado y láser de picosegundos. Reporte de un caso. [Type IIb Pigmentovascular Phakomatosis Treated with Pulsed Dye Laser and PicoWay Laser. Case Report]. Dermatol Cosmet Med Quir. 2019;17:25-9. Spanish.
198. Dutta A, Ghosh SK, Bandyopadhyay D, Bhanja DB, Biswas SK. Phakomatosis pigmentovascularis: a clinical profile of 11 Indian patients. Indian J Dermatol. 2019;64:217-23.
199. Martins ML, Letieri AD, Lenzi MM, Agostini M, Castro GF. Oral healthcare management in a child with phakomatosis pigmentovascularis. Spec Care Dentist. 2019;39:324-29.
200. Kumar A, Zastrow DB, Kravets EJ et al. Extracutaneous manifestations in phacomatosis cesioflammea and cesiomarmorata. Am J Med Genet A. 2019;179:966-77.
201. van der Merwe EB, Bhika RE, Meyer D. Glaucoma in phacomatosis pigmentovascularis in a young african adolescent boy: a case report. J Glaucoma. 2019;28:e124-5.
202. Gupta A, Khurana A, Malhotra P, Sardana K. Congenital triangular alopecia associated with phakomatosis pigmentovascularis type II along with Klippel Trenaunay syndrome. Indian Dermatol Online J. 2019;11:91-3.
203. Sliepka JM, McGriff SC, Rossetti LZ, Bizargity P, Streff H, Lee YS, et al. GNA11 brain somatic pathogenic variant in an individual with phacomatosis pigmentovascularis. Neurol Genet. 2019;5:e366.
204. Wang B, Yang M, Lv S et al. Phakomatosis pigmentovascularis type IIb. J Dtsch Dermatol Ges. 2019;17:1179-82.
205. Liu L, Sun J, Pan Y, Jiang X. A rare case of phakomatosis pigmentovascularis type IIb associated with inverse Klippel-Trenaunay syndrome and Sturge-Weber syndrome. Indian J Dermatol Venereol Leprol. 2019;85:618-20.
206. Silecchia V, Valerio E, Filippone M, Balao L, Cherubin E, Rigon L, et al. Phakomatosis pigmentovascularis cesioflammea. J Resp Res. 2019;4:187-8.
207. Le C, Dyer JM, Miller R. Violaceous Patches on the Arm. Cutis. 2019;104:E25-7.
208. Xu Qiaoyu, Cai Hong, Liu Wei. Phakomatosis pigmentovascularis: a case report. J Clin Dermatol. 2019;48:760-1. Chinese.
209. Vences MA, Barreto-Acevedo E, Delgado-Acosta F. Facomatosis pigmentovascular cesioflammea asociada a epilepsia focal mioclónica: Primer caso reportado en el Perú. [Phakomatosis pigmentovascularis cesioflammea associated with focal myoclonic epilepsy: First case reported in Peru]. Rev Neuropsiquiatr. 2020;83:104-9. Spanish.
210. Li D, Nong X, Fang T, Zhao Z. Phacomatosis pigmentovascularis. Chin J Medical Aesthet Cosmetol. 2020;26:158-9. Chinese.
211. Liang W, Jiang Y, Fang Q, Chen R, Yan HB. Analysis of 4 Cases of Phakomatosis Pigmentovascularis and Review of the Literature. Chin J Aesthet Med. 2020;29:59-62. Chinese.
212. Jung JH, Kim JE. A Case of Recalcitrant Ulcer Treated with Platelet-rich Plasma Therapy in a Patient with Phakomatosis Pigmentovascularis Type IIb. Korean J Dermatol. 2020;58:151-2. Korean.
213. Chandran P, Raut SD, Ramasamy N, Raman GV. Phakomatosis pigmentovascularis with Sturge–Weber syndrome. TNOA J Ophthalmic Sci Res. 2020;58:109-11.
214. Raina A, Ravindra SV, Sunil MK, Jina G. Phakomatosis pigmento vascularis with bulbar melanosis and oral changes in an Indian male patient-A rare case report. J Indian Acad Oral Med Radiol. 2020;32:182-5.

215. del Pilar Pereira-Gómez M, Martínez-Gómez M, Barrenche MN. Facomatosis pigmentovascular tipo cesioflamea: a propósito de un caso. [Cesioflammea-type phacomatosis pigmentovascularis: a case report]. Rev Asoc Colomb Dermatol Cir Dermatol. 2020;28:352-6. Spanish.
216. Campostrini TB, Lorenzoni RS, Dutra PT, Pelegrine HA, Guimarães HC, Pignaton CC. Phacomatosis pigmentovascularis: Case report. EC Paediatrics. 2020;9:6-9.
217. Podury S, Mukherjee B. Double whammy: Congenital glaucoma in phakomatosis pigmentovascularis with Sturge–Weber syndrome and nevus of Ota. TNOA J Ophthalm Sci Res. 2020; 58:310-2.
218. Pulgar AJ, Campos FS, Olcay SS, Eslava MA, Cruz HF. Facomatosis pigmentovascular: rojo y azul en la piel. [Phacomatosis pigmentovascularis: red and blue in the skin]. Piel. 2020; 35:490-3. Spanish.
219. Ding F, Jin Y, Li XL, Xu Y, Su T, Chen B. Phakomatosis pigmentovascularis type IIb with Klippel-Trenaunay syndrome: a case report with dermoscopic features. J Clin Dermatol. 2020; 49:669-72. Chinese.
220. Senthilkumar VA, Krishnadas R, Puthuran GV, Ravichandar A. Early-Onset Glaucoma Manifesting as Buphthalmos in an Infant with Phakomatosis Pigmentovascularis Type IIa. Ophthalmol Glaucoma. 2020;3:481-3.
221. De Souza B, Doerfler L, McMichael A, Munavalli GGS. Vascular and Pigmented Lesions of Phacomatosis Pigmentovascularis Treated With a Combination of Long-Pulsed, Q-Switched Laser, and Picosecond Lasers. Dermatol Surg. 2020;46:1751-4.
222. Rajkiran T. Co-existence of Bilateral nevus of Ota with port-wine stain-A Rare Case Report. Int J Health Clin Res. 2021; 4:44-6.
223. Shwetha B, Rishi P. Phacomatosis cesioflammea with bilateral diffuse choroidal hemangioma. Indian J Ophthalmol-Case Rep. 2021;1:64-6.
224. Mochida J, Watanabe M, Watanabe K, Ueno K, Fujita S, Inoue T, Akiyama N, Umino H. Neonatal case of Phacomatosis Pigmentovascularis with Sturge-Weber syndrome and Klippel-Trenaunay-Weber syndrome. Jpn J Pediatr. 2021;74(1):69-73. Japanese.
225. Shah C, Sen P, Jain R, Sood D, Mohan A, Jain E. A rare case of phacomatosis pigmento vascularis with glaucoma in an Indian child: Management with review of literature. Indian J Ophthalmol-Case Rep. 2021;1:111-3.
226. Ghawate NJ, Natu M, Shevale T, Ghawate NJ. Klippel–Trenaunay–Weber Syndrome: A Case Report. Med J Basic Appl Res. 2021;2:61-6.
227. Abasq-Thomas C, Audebert S, Carmignac V, Brosseau-Beauvir A, Brenaut E, Misery L, Vabres P. Complete agenesis of the corpus callosum in phacomatosis pigmentovascularis cesioflammea: a manifestation of mosaicism? Eur J Dermatol. 2021;31:248-9.
228. Tran C, Alward WL. Phakomatosis Pigmentovascularis. Ophthalmol Glaucoma. 2021;4:250.
229. Pan Y, Jiang X. Phakomatosis pigmentovascularis IIb (phakomatosis cesioflammea) associated with the absence of infrarenal inferior vena cava. Int J Dermatol. 2021;60:647-9.
230. Tong, Xinyun.; Yang, Chunjun. PPV-EN [Internet]. c2021 – [cited 2025 June 6]. Available from: https://www.researchgate.net/publication/351781258_PPV-EN.
231. Mandal AK, Kodavati K, Gothwal VK. Outcomes of Management of Glaucoma in Phacomatosis Pigmentovascularis Over the Last Three Decades: A Single-Center Experience. Ophthalmol Glaucoma. 2021:S2589-4196(21)00158-7.
232. Lanyi, Shira; Salkey, Kimberly. Clinical Advisor: Newborn With Melanocytic Nevi and Vascular Malformations [Internet]. c2021 – [cited 2025 June 6]. Available from: https://www.clinicaladvisor.com/home/topics/dermatology-information-center/newborn-melanocytic-nevi-vascular-malformations/
233. Lyu J, Wang S, Li Y, Zhang H, Yang Q, Liu S. Hematoporphyrin Monomethyl Ether-Mediated Photodynamic Therapy for Phakomatosis Pigmentovascularis Type II: A Case Report. Photodiagnosis Photodyn Ther. 2021;37:102637.
234. Mohta A, Kushwaha RK, Kumari P, Shamra MK, Jain SK. Bilateral nevus of Ota with palatal involvement, unilateral nevus of Ito, and a port-wine stain: A rare presentation. Our Dermatol Online. 2022;13:197-201.
235. Mecarini F, Alario D, Bracaglia G. A newborn with a rare association of various congenital skin disorders. J Pediatr Neonat Individualized Med. 2022;11:e110203.
236. Kothari R, Patil A, Rajan N, Deora MS. Phacomatosis Pigmentovascularis Type II with Klippel -Trenaunay Syndrome: A Rare Case Reported. J Int Med Sci Acad. 2022;35:149-51.
237. Singh SK, Pandey AK, Meena BS. Phacomatosis pigmentovascularis: a rare case report. Int J Res Dermatol. 2022;8:276-8.
238. Khan O, Sesma G, Al Jaloud A. Bilateral Phakomatosis Cesiomarmorata With Ocular Melanocytosis and Secondary Glaucoma. Cureus. 2022;14:e22861.
239. Jiao J, Sun M, Li L, Fang J, Meng L, Zhang Y, et al. A case of phakomatosis pigmentovascularis in a neonate. J Clin Dermatol. 2022;51:352-4. Chinese.
240. Sun Y, Su L, Rao Y, Wang Z, Wang D, Fan X, et al. Mosaic GNA11 mutations and a second hit in KRAS in Phakomatosis pigmentovascularis are associated with intraosseous arteriovenous malformations in the jaw. J Eur Acad Dermatol Venereol. 2022;36:e484-6.
241. Wu R, He R, Zhang B, Ma L. A case of phakomatosis pigmentovascularis with Klippel-Trenaunay syndrome and Sturge-Weber syndrome. Chin J Dermatol. 2022;55:540-1. Chinese.
242. Grau MB, Rojas A, Pérez VD. Facomatosis Pigmentovascular tipo II. Comunicación de 2 casos. [Phacomatosis pigmentovascularis type II. Report of 2 cases]. Gac Dermatológ (Asuncion). 2022;16:57-61. Spanish.
243. Bhandari M, Mann KK, Khunger N, Lal A. Dermoscopic features of Phakomatosis pigmentovascularis type II: An underutilized tool! J Cosmet Dermatol. 2022;21:3615-8.
244. Zhao W, Bu X, Wu S. Phakomatosis pigmentovascularis was reported in one family. Chin J Dermatovenereol. 2022;36:1079-82. Chinese.
245. Kansal NK, Melanda H, Dhanta A, Kumari N. Phakomatosis Pigmentovascularis with Atypical Sturge-Weber Syndrome, Glaucoma and Asymptomatic CNS Microcirculation Aberrations. Indian J Dermatol. 2022;67:608-10.
246. Senthilkumar VA, Kohli P, Mishra C, Mamchisetti K. Ocular features in a patient presenting with a rare combination of multiple phakomatoses. BMJ Case Rep. 2022;15:e252746.

247. Minami Y, Okamoto T, Hirotsu Y, Amemiya K, Osada A, Tsukamoto K, et al. Phakomatosis pigmentovascularis type IIb with Klippel-Trenaunay syndrome: Association with GNAQ mutation in vascular endothelial cells. J Dermatol. 2022;49:e444-5.
248. Mehta N, Malgotra V, Raihan M, Choubey V, Saha S. Bilateral Nevus of Ota with Phakomatosis pigmentovascularis treated with 1064 nm picosecond laser: A Case Report. Int Arch Biomed Clin Res. 2023;9:CR1-3.
249. Aguiar B, Vidreiro I, Cavaco H, Saldanha J. Beyond an Extensive Dermal Melanocytosis: A Case of Phacomatosis Pigmentovascularis of Cesioflammea Type. Port J Pediatr. 2023;54: 136-7.
250. Manavalan V, Kaliaperumal S, Subramanian S, Mani M. Phacomatosis pigmentovascularis with sturge-weber syndrome and congenital glaucoma: A rare case report. Eur J Ophthalmol. 2023;33:NP22-5.
251. Fry MV, Williams Jr BK, Kim HJ, Di Nicola M. Choroidal melanoma in phakomatosis pigmentovascularis with overlapping Sturge-Weber syndrome and Klippel-Trenaunay syndrome. Retin Cases Brief Rep. 2023;17:130-3.
252. Lavanya K, Ramesh R, Shanmugam S, Avadhani D, Hazeena P. Teaching NeuroImage: Nevus Flammeus, Ocular Melanosis, and Seizures in Young Adult With Sturge-Weber and Klippel-Trenaunay Overlap Syndrome. Neurology. 2023;100:984-5.
253. Almuhanna N, Alkhezzi S, Alhamazani R, Aljughayman M, Alasmari BS, Alsuhibani AS, et al. A rare presentation of asymmetric limb hypertrophy and diffuse capillary malformations in a pediatric patient with Loeys-Dietz syndrome type 3. JAAD Case Rep. 2023;43:4-6.
254. Somasundaram A. Phacomatosis pigmentovascularis. CosmoDerma. 2023;3:1-2.
255. Feng X, Liu X, Li Q. A case of phakomatosis pigmentovascularis complicated with Klippel-Trenaunay syndrome and its skin imaging findings in a child. Chin J Plast Surg. 2023;39:1209-12. Chinese.
256. Yulia DE, Soeharto DA. Bilateral Glaucoma in An Infant with Phacomatosis Pigmentovascularis and Sturge-Weber Syndrome: A Rare Case Report. Pak J Ophthalmol. 2024;40:337-41.
257. Pérez-López I, Herrera García JD, Ayén Rodríguez A, Ruiz-Villaverde R. Quistes aracnoideos temporales bilaterales asociados a una facomatosis cesioflammea. [Bilateral temporal arachnoid cysts associated with phacomatosis cesioflammea]. Actas dermo-sifiliogr. 2024;115:T425-6. Spanish.
258. Zhang B, He R, Wu R et al. Somatic GNA11/GNAQ variants in a cohort of Chinese children with phakomatosis pigmentovascularis. Pediatr Investig. 2024;8:117-25.
259. Pillai M, Jain S, Chaudhary S. Phakomatosis Ceisoflammea with glaucoma. Indian J Ophthalmol-Case Rep. 2024;4:570-1.
260. García SS, Valdez RL, García LS, García VM, Covarrubias MD. Síndrome de Wolf-Hirschhorn y facomatosis pigmento vascular:¿ coincidencia o asociación? Reporte de caso. [Wolf-Hirschhorn syndrome and phacomatosis pigmentovascularis: coincidence or association? Case report]. Acta Pediátr Méx. 2024;45:294-300. Spanish.
261. Fathima Hazna KT, Nair LV, Suresh A, Riyaz N. COVID-19 vaccine-induced pain over port wine stain in a patient with phakomatosis pigmentovascularis Type IIb and Sturge–Weber syndrome – A rare case report. J Skin Sexually Transm Dis. 2024;6:188-91.
262. Sánchez-Vicente JL, López-Herrero F, Suárez-Pérez J et al. Retinal vascular abnormalities in a case of phakomatosis pigmentovascularis. Clin Exp Optom. 2024;107:676-8.
263. Mamoon Allaf A, Chen Chang T. Pigmentovascularis in a child with heterochromia. Pediatr Int. 2025;67:e70022.
264. Dilli A, Al Dosari R, Altowayan R, Alfouzan Y, Shadid A, Alakrash L. Phakomatosis pigmentovascularis type 2a: a rare case report. AME Case Reports. 2025:9:19.
265. Martinez Garcia V, Achell Nava L, Maldonado Colin G, Arellano Vivero M, Fernandez Reynoso C. Phacomatosis Pigmentovascularis: Genetic Insights through Cutaneous Pigmentation. Int J Med Sci Clin Res Studies. 2025;5:475-7.
266. Singh S, Sharma A, Malhi K et al. Sirolimus in dermatology: Jack of many trades. Indian J Dermatol Venereol Leprol. 2025;91(Supplementary 1):S32-4.
267. Abtahi-Naeini B, Yaghini O, Razavi Z. William's Syndrome Associated with Facial Port Wine Stain and Phacomatosis pigmentovascularis: A Case Report. Clin Case Rep. 2025;13:e70996.
268. Alogayel L, Alrashid S, Al Kanaan R, Alnajjar R, Almarshoud G. Bilateral nevus of Ota in association with nevus flammeus: a case report . Dermatol Rep. 2025 27;17:10289.

II – Abstracts containing case reports or small case series of phacomatosis cesioflammea

1. Arjona J. Sindrome de Sturge Weber con melanosis oculi. Arch Soc Oftal Hispano-Am. 1948;8:535. Spanish.
2. Laugier P, Bulte CI, Ellena V. Naevus de Ota bilateral, angiomes plans disséminés et syndrome de Parkes-Weber. Bull Soc Fr Derm Syph. 1964;71:648-9. French.
3. Hashimoto H, Kuno H, Ikeya T. A case of phacomatosis pigmentovascularis (Ota Kawamura). J Aichi Med Univ Assoc. 1977;5:155-61.
4. Jo KY, Lee ZY, Yoon JI, Yoo S. 4 cases of Phacomatosis Pigmentovascularis. Korean Assoc Dermatol Progr Book. 1984;36:32. Korean.
5. Choi YH, Lee MG, Jun SI. Phakomatosis pigmentovascularis. Korean J Dermatol. 1990;28(Suppl):59. Korean.
6. Kim HO, Choi HM, Ham JH, Kook HI. A case of phakomatosis pigmentovascularis. Korean J Dermatol. 1990;28(Suppl):59. Korean.
7. Hisao I. Phacomatosis pigmentovascularis: report of 1 case. Skin Res. 1991;33:238.
8. Reverte M, Courant B, Leguille C, Roger H, Berramdani L. Phacomatose pigmento-vasculaire (PPV) type IIb. [Phacomatosis pigmentovascularis type IIb]. Nouv Dermatol. 1994;13:703. French.
9. Arai Y, Niijima S, Saito M, Kuremoto K, Takahashi K, Yabuta K, et al. A case of phacomatosis pigmentovascularis with Sturge-Weber syndrome and Klippel-Weber syndrome. Brain Dev. 1995;17:445-6. Japanese.
10. Kim WS, Yang JM, Lee IS. 2 cases of Phakomatosis pigmentovascularis. Korean Assoc Dermatol Progr Book. 1996;48:73. Korean.
11. Kim YG, Han KP, Choi KKC, Jeong BS. A Case of Phakomatosis Pigmentovascularis. Korean Assoc Dermatol Progr Book. 1997;49:122. Korean.

12. Zabala R, Manrique P, Gonzalez MR et al. Facomatosis pigmentovascular tipo II b: presentacion de un caso. In: Reunion de la seccion vasco-navarra-aragonesa-riojana de la Academia Española de Dermatologia;1997 Nov 22; Bilbao, Spain. Spanish.
13. Lestringant GG, Galadari IH, Frossard PM. Pigmentovascular phakomatosis. Report of three cases from the Middle East. J Eur Acad Dermatol Venereol. 1997;9(Suppl 1):S207.
14. Jégou R, Cartron L, Adamski H, Chevrant-Breton J. Phacomatosis pigmento-vascularis. J Eur Acad Dermatol Venereol. 1998;11(Suppl 2):S265.
15. Taberner JE, Martín AG, Frau CB. Phacomatosis pigmentovascularis. J Eur Acad Dermatol Venereol. 1998;11:S266.
16. Rashid T, Hussain I, Rehman F, Haroon TS. Phakomatosis pigmentovascularis type II b. J Coll Phys Surg Pak. 2000;10:265-6.
17. Bhat J, K Batta K, Shah P, Bissenden J, Moss C. Phakomatosis pigmentovascularis type 2beta: a case report. Br J Dermatol. 2002;147(s62):92.
18. Lee J, Ryu S, Kim S, Lee J, Kim Y, Moon J. Small bowel bleeding from angiodysplasia in patient with phacomatosis pigmentovascularis IIb. J Gastroenterol Hepatol. 2005;20(Suppl 2):A192-3.
19. Monteiro M, Fontinelle E, Guimaraes MBS, Lupi O. Phakomatosis pigmentovascularis. J Am Acad Dermatol. 2009;60(3 Suppl 1):AB143.
20. Lee YS, Seo JW, Son HH, Jeong SW, Choi JH, Lee SK. Phakomatosis pigmentovascularis type 2b associated with KTS & solitary angiokeratoma. Korean Assoc Dermatol Progr Book. 2010;62:226-7. Korean.
21. Summerer B, Binder B. Phakomatosis pigmentovascularis type IIA in a caucasian boy with remarkable family history. Pediatr Dermatol. 2011;28:609.
22. Ziouche M, Khellil A, Sahnoune F, Kettaf N, Tilmatine T, Sairi H, et al. Phacomatose pigmento-vasculaire associée à un syndrome de Sturge-Weber et un syndrome de Klippel-Trenaunay: à propos d'un cas. [Phacomatosis pigmentovascularis associated with Sturge-Weber syndrome and Klippel-Trenaunay syndrome: a case report]. Ann Dermatol Vénéréol. 2013;140(Suppl 1):S26. French.
23. Yim JH, Kim TI, Bae MI, Kim NI, Shin MK. P499: Phacomatosis pigmentovascularis type IIa. Korean Assoc Dermatol Progr Book. 2015;67(1):484-5. Korean.
24. Jardim C, Hadj A, Bade S. Diffuse phakomatosis pigmentovascularis–a case report and clinical update. ANZ J Surg. 2015; 85(Suppl 1):91.
25. Lim Y, Park CS, Lee JH et al. P502: Two cases of phakomatosis pigmentovascularis. Korean Assoc Dermatol Progr Book. 2016;68:482. Korean.
26. Lee YC, Son SJ, Lee JH, Han TY. [P428] Blue, gray, and red skin lesions in a newborn girl: A case of phakomatosis pigmentovascularis. Korean Assoc Dermatol Progr Book. 2017;69:469. Korean.
27. Pathak S, Doerfler L, Munavalli G, Sullivan B. A 66-year-old woman with phakomatosis pigmentovascularis. Lasers Surg Med. 2017;49:433.
28. Varma U, Vassallo G, Swiderska N, Jones E, Tang V. Phakomatosis pigmentovascularis: Birthmarks which might not be so benign. Eur J Paediatr Neurol. 2017;21:e209.
29. Henni I, Allal R, Boutouil M, Abiayad Y, Serradj A, Boucheddad M. Phénomène de Baykal au cours d'une phacomatose pigmento-vasculaire. [Baykal phenomenon in phacomatosis pigmentovascularis]. Ann Dermatol Vénéréol. 2017;144(12 Suppl):S180. French.
30. Hayes C, De Silva B. A case of phacomatosis cesioflammea - A subtype of phacomatosis pigmentovascularis, (PPV) - Associated with cardiac defects: Is this a new phenotype? Pediatr Dermatol. 2018;35(Suppl 2):S24.
31. Luo X. A case of phakomatosis pigmentovascularis with "blue eyes". In: Proceedings of the 2019 National Academic Conference on Dermatology and Venereology of Integrated Traditional Chinese and Western Medicine; 2019 Mar 28, Jiangyin, Jiangsu, China. p. 75-6. Chinese.
32. Bodapati S, Khan A. Phacomatosis pigmentovascularis: A rare entity. In: Abstract Book of the 24th World Congress of Dermatology; 2019 June 10-15; Milan, Italy; 1045. Accessed June 6, 2025. Accessed from: https://www.wcd2019milan-dl.org/abstract-book/documents/abstracts/30-paediatric-dermatology/phacomatosis-pigmentovascularis-a-rare-entity-1045.pdf
33. Davila Osorio VL, Gene N, Lavarino C, Ramos F, Prat C, Vicente MA, et al. Facomatosis cesioflammea con síndrome de Sturge Weber y sobrecrecimiento, incertidumbres en el manejo. [Phacomatosis cesioflammea with Sturge-Weber syndrome and overgrowth: uncertainties in management]. In: 12ª Reunión de la Sociedad Española de Anomalías Vasculares; 2020 Oct 23-24; Alicante, Spain; p. 8-9. Accessed from: https://ww2.seav.org/wp-content/uploads/2020/10/libro-comunicaciones-seav-2020.pdf. Spanish.
34. Al-Hage J, Rodrigues M, Guégan S, Chanal J. Phacomatose pigmento-vasculaire compliquée de mélanome muté GNAQ: deux cas et revue de la littérature. [Phacomatosis pigmentovascularis complicated by GNAQ-mutant melanoma: two cases and literature review]. Ann Dermatol Vénéréol. 2020;147(12 Suppl):A260-A261. French.
35. Kammouh H, Terkawi RS, Zahraldin K. A Case of Phacomatosis Pigmentovascularis with Innominate Vein Stenosis Complicated with Chylothorax. Am J Resp Crit Care Med. 2021;203: A3282.
36. Jimenez A, Linfante A, Kelly E. 28580 Diffuse capillary malformation with overgrowth and phakomatosis pigmentovascularis type II in a newborn. J Am Acad Dermatol. 2021;85(3 Suppl):AB199.
37. Younsi M, Mansoul T, Chehad AS, Boussaid R. Phacomatose pigmentovasculaire cesioflammea avec une buphtalmie bilatérale et un nouveau mosaïsme. [Phacomatosis cesioflammea with bilateral buphthalmos and new mosaicism]. Ann Dermatol Vénéréol-FMC. 2023;3(8 Suppl 1):A283. French.
38. Schnabel F, Grunewald S, Karnstedt M, Hentschel J, Strehlow V, Schnabel V. Phacomatosis pigmentovascularis caused by postzygotic mosaicism in GNAQ. Eur J Hum Genet. 2024;32: 399.
39. Ivars M, Martin-Santiago A, Aniza Giacaman A, Fons C, Muchart J. Macrocephaly Associated with Sturge-Weber Syndrome: Presentation of Two Cases. J Vasc Anomalies. 2024:5: S17-8.

III – Articles containing large case series of phacomatosis cesioflammea

1. Teekhasaenee C, Ritch R. Glaucoma in phakomatosis pigmentovascularis. Ophthalmology. 1997;104:150-7.
2. Cordisco MR, Campo A, Castro C, Bottegal F, Bocian M, Persico S, Pierini AM. Phakomatosis pigmentovascularis: report of 25 cases. Pediatr Dermatol 2001;18(Suppl 4):70-1.
3. Vidaurri-de la Cruz H, Tamayo-Sánchez L, Durán-McKinster C, Orozco-Covarrubias Mde L, Ruiz-Maldonado R. Phakomatosis pigmentovascularis II A and II B: clinical findings in 24 patients. J Dermatol. 2003;30:381-8.
4. Fernández-Guarino M, Boixeda P, de Las Heras E, Aboin S, García-Millán C, Olasolo PJ. Phakomatosis pigmentovascularis: Clinical findings in 15 patients and review of the literature. J Am Acad Dermatol. 2008;58:88-93.
5. Yu WL, Li Q, Zeng D, Cheng B. Clinical analysis of 23 cases with phakomatosis pigmentovascularis. Chin J Aesthet Med. 2009;18:679-81. Chinese.
6. Cordisco MR, Lanoel A, Perez F, Da Col E, Arroyo H, Peersico S. Sturge-weber syndrome study of 70 patients. Pediatr Dermatol 2010;27:586.
7. Huang YC, Li XL, Li TJ, Yang L, Li YQ. Clinical Analysis of 15 Cases with Phakomatosis Pigmentovascularis. Chinese J Dermatovenereol. 2012;4:315-6. Chinese.
8. Thomas AC, Zeng Z, Rivière JB, O'Shaughnessy R, Al-Olabi L, St-Onge J, et al. Mosaic Activating Mutations in GNA11 and GNAQ Are Associated with Phakomatosis Pigmentovascularis and Extensive Dermal Melanocytosis. J Invest Dermatol. 2016; 136:770-8.
9. Yin R, Sun Y, Li L, Wang C, Ma L. Clinical analysis of 18 cases of children with phakomatosis pigmentovascularis. J Clin Dermatol. 2017;46:483-7. Chinese.
10. Reyes-Capó D, Cavuoto KM, Chang TC. Outcomes of infantile-onset glaucoma associated with port wine birthmarks and other periocular cutaneous vascular malformation. Asia Pac J Ophthalmol (Phila). 2018;7:95-8.
11. Li M, Zhang S, Yin G, Li X, Li Z. Clinical Analysis of 10 Cases of Children Phakomatosis Pigmentovascularis. Chin J Dermatovenereol 2018;6:654-7. Chinese.
12. Dutta A, Ghosh SK, Bandyopadhyay D, Bhanja DB, Biswas SK. Phakomatosis pigmentovascularis: A clinical profile of 11 Indian patients. Ind J Dermatol. 2019;64:217-23.
13. Shin H, Kim YG, Kim YE, Park H. Clinical characteristics and treatment of 52 cases of phakomatosis pigmentovascularis. J Dermatol. 2019;46:843-8.
14. Mandal AK, Kodavati K, Gothwal VK. Outcomes of Management of Glaucoma in Phacomatosis Pigmentovascularis Over the Last Three Decades: A Single-Center Experience. Ophthalmol Glaucoma. 2022;5:101-9.
15. Rujimethapass N, Manuskiatti W, Wanitphakdeedecha R, Petchyim S. Ocular manifestations of facial port-wine stain, nevus of Ota, and phakomatosis pigmentovascularis in Asian patients. J Am Acad Dermatol. 2021;85:1194-200.
16. Huang S, Yang Y, Ouyang Z, Guo X, Zhan Z, Liu X, et al. The risk of glaucoma associated with phacomatosis cesioflammea and phacomatosis cesioflammeo-marmorata. Eur J Dermatol. 2022;32:589-96.
17. Hu M, Liang T, Leng F, Zhang B, Xu Y, Zeng H, et al. Outcomes of Microcatheter-Assisted Trabeculotomy for Glaucoma Associated With Sturge-Weber Syndrome and Phakomatosis Pigmentovascularis. Am J Ophthalmol. 2023;248:51-9.
18. Knöpfel N, Zecchin D, Richardson H, Polubothu S, Barberan-Martin S, Cullup T, et al. GNAQ/GNA11 Mosaicism Is Associated with Abnormal Serum Calcium Indices and Microvascular Neurocalcification. J Invest Dermatol. 2024;144:820-32.e9.
19. Zhang B, He R, Wu R, Yang Z, Hu M, Zhang N, et al. Somatic GNA11/GNAQ variants in a cohort of Chinese children with phakomatosis pigmentovascularis. Pediatr Investig. 2024;8: 117-25.
20. Huang Y, Yang J, Bi M, Wang L, Ju W, Liu X, et al. Photodynamic therapy for the treatment of port-wine stains in phakomatosis pigmentovascularis. J Cosmet Dermatol. 2024;23:2888-94.
21. Kolipaka GP, Molleti D, Krishnamurthy R, Rao A, Mandal AK, Senthil S. Clinical Insights into a Large Cohort of Phakomatosis Pigmentovascularis. J Glaucoma. 34:476-83.

IV – Articles containing case reports of phacomatosis cesiomarmorata

1. Jo KY, Lee ZY, Yoon JI, Yoo S. Phacomatosis Pigmentovascularis 4 cases. Korean Assoc Dermatol Progr Book. 1984;36:32. Korean.
2. Torrelo A, Zambrano A, Happle R. Cutis marmorata telangiectatica congenita and extensive mongolian spots: type 5 phacomatosis pigmentovascularis. Br J Dermatol. 2003;148:342-5.
3. Torrelo A, Zambrano A, Happle R. Large aberrant Mongolian spots coexisting with cutis marmorata telangiectatica congenita (phacomatosis pigmentovascularis type V or phacomatosis cesiomarmorata). J Eur Acad Dermatol Venereol. 2006;20:308-10.
4. Fernández-Guarino M, Boixeda P, de Las Heras E, Aboin S, García-Millán C, Olasolo PJ. Phakomatosis pigmentovascularis: Clinical findings in 15 patients and review of the literature. J Am Acad Dermatol. 2008;58:88-93.
5. Larralde M, Santos-Muñoz A, Rodríguez Cáceres M, Ciardiullo A. Phacomatosis pigmentovascularis type Va in a 3-month old. Pediatr Dermatol. 2008;25:198-200.
6. Cifuentes L, Kollmar A, Ring J, Mempel M. Phacomatosis cesiomarmorata in an 8-month-old infant. Int J Dermatol. 2009; 48(10):1110-2.
7. Byrom L, Surjana D, Yoong C, Zappala T. Red-white and blue baby: a case of phacomatosis pigmentovascularis type V. Dermatol Online J. 2015;21:13030/qt2b0980p8.
8. Kaur T, Sharma N, Sethi A, Kooner S, Banger H. Phacomatosis cesiomarmorata with hypospadias and phacomatosis cesioflammea with Sturge-Weber syndrome, Klippel-Trenaunay syndrome and aplasia of veins—Case reports with rare associations. Dermatol Online J. 2015;21:13030/qt0r26h8pm.
9. Du G, Zhang X, Zhang T. Cutis marmorata telangiectatica congenita and aberrant Mongolian spots: Type V phacomatosis pigmentovascularis or phacomatosis cesiomarmorata. JAAD Case Rep. 2016;2:28-30.

10. Nanda A, Al-Abdulrazzaq HK, Habeeb YK, Zakkiriah M, Alghadhfan F, Al-Noun R, et al. Phacomatosis pigmentovascularis: Report of four new cases. Indian J Dermatol Venereol Leprol. 2016;82:298-303.
11. Dutta A, Ghosh SK, Bandyopadhyay D, Bhanja DB, Biswas SK. Phakomatosis pigmentovascularis: A clinical profile of 11 Indian patients. Indian J Dermatol. 2019;64:217-23.
12. Thanos A, Shwayder T, Papakostas TD, Corradetti G, Capone A Jr, Sarraf D, et al. Retinal Vascular Abnormalities in Phakomatosis Pigmentovascularis. Ophthalmol Retina. 2019;3: 1098-104.
13. Mai TCC, Pham TN, Mai BHA. Phakomatosis pigmentovascularis type Va. Case report and literature review. Eur J Pediatr Dermatol. 2021;31:198-202.
14. Escobar K, Pandher K, Jahnke MN. Capillary malformations. Dermatol Clin. 2022;40:425-33.
15. Yildiz M, Benli S. Phakomatosis Pigmentovascularis Type Va: A Newborn Case. Neonatal. 2024;5:18.
16. Couppoussamy KI, Devanda R. Phacomatosis cesiomarmorata in a newborn: A case report and review of literature. J Skin Sex Transm Dis. 2025;7:71-5.

V – Articles containing case reports of phacomatosis cesioflammeomarmorata

1. Cabalero CR, Bosch MIF, Caballero LR, Mira MAN, Losada LO, Caturla JM, et al. Facomatosis pigmentovascular tipo IIb. Actas Dermo-Sifiliogr. 1999;90:579-81.
2. Chang BP, Hsu CH, Chen HC, Hsieh JW. An infant with extensive Mongolian spot, naevus flammeus and cutis marmorata telangiectatica congenita: a unique case of phakomatosis pigmentovascularis. Br J Dermatol. 2007;156:1068-71.
3. Lu PH, Tu ME, Wu YH. Progressive neurologic abnormalities in a woman with phakomatosis pigmentovascularis type V. Dermatol Sin. 2009;27:257-9.
4. Smith JR, Moore MM, Stetson CL. Red, purple, and brown skin lesions in a 2-month-old boy. J Am Acad Dermatol. 2012;66: 341-2.
5. Adachi K, Togashi S, Sasaki K, Sekido M. Laser therapy treatment of phacomatosis pigmentovascularis type II: two case reports. J Med Case Rep. 2013;7:55.
6. Koshibu K, Nanbu H, Jo N. A case of early-onset developmental glaucoma associated with phacomatosis pigmentovascularis type V. Jpn J Clin Ophthalmol. 2013;67:591-5. Japanese.
7. Yang Y, Guo X, Xu J, Ye Y, Liu X, Yu M, et al. Phakomatosis pigmentovascularis associated with Sturge-Weber syndrome, Ota nevus, and congenital glaucoma. Medicine (Baltimore). 2015;94:e1025.
8. Shimizu N, Nakagawa K, Taguchi M, Okabayashi A, Kishida M, Kinoshita R, et al. Unusual case of phakomatosis pigmentovascularis in a Japanese female infant associated with three phakomatoses: Port-wine stain, dermal melanocytosis and cutis marmorata telangiectatica congenita. J Dermatol. 2015;42:1006-7.
9. Lebel Y, Belkacem FA, Benkaidali I. Cutis marmorata telangiectatica congenita associée à une tache mongoloïde: un nouveau cas de phacomatose pigmento-vasculaire de type Va. [Cutis marmorata telangiectatica congenita associated with a mongolian spot: a new case of pigmento-vascular phacomatosis of type Va]. Ann Dermatol Venereol. 2015;142:S535. French.
10. Liu XL, Gao L, Li ZZ. Phakomatosis pigmentovascularis: report of three cases. J Clin Dermatol. 2016;45:265-7. Chinese.
11. Namiki T, Arai M, Miura K, Yokozeki H. A case of phakomatosis pigmentovascularis type II: port-wine stain and dermal melanocytosis with cutis marmorata telangiectatica congenita-like lesions. Eur J Dermatol. 2016;26:302-3.
12. Verma SB, Desai HK, Shah VN, Happle R. Phacomatosis cesioflammea with cutis marmorata-like lesions and unusual extracutaneous abnormalities: Is it a distinct disorder?. Indian J Dermatol. 2017;62:207.
13. Chehad AS. New case of phacomatosis cesio-flammeo-marmorata: the time is right to review the classification for phacomatosis pigmentovascularis. Int J Dermatol. 2019;58:e237-40.
14. Kumar A, Zastrow DB, Kravets EJ, Beleford D, Ruzhnikov MRZ, Grove ME, et al. Extracutaneous manifestations in phacomatosis cesioflammea and cesiomarmorata: Case series and literature review. Am J Med Genet A. 2019;179:966-77.
15. Yang, Connie.; Ferree, Sarah D.; Hawryluk Elena B.; Shadi Kourosh, Arianne. 11-Week-Old Male with Multiple Skin Abnormalities [Internet]. Consultant360. c.2019 - [cited 2025 Jun 6]. Accessed from: https://www.consultant360.com/sites/default/files/journal-pdf/190719C360_Phakomatosis%20Pigmentovascularis%20Type%20V.pdf
16. Kang I, Lee MH, Shin MK. Unclassifiable phakomatosis pigmentovascularis: A case report. Korean J Dermatol. 2020;58: 115-7. Korean.
17. Huang Y, Li D, Zhang A, Fang J, Yan T, Li X. A case report of pigmented vascular nevus hamartoma. J Clin Dermatol. 2022; 51:545-6. Chinese.
18. Zagonel L, Lipay MVN, Paraluppi GR, Alves CAXM. Phacomatosis cesio-flammeo-marmorata: report of a rare association. An Bras Dermatol. 2024;99:462-4.

VI – Articles containing case reports of phacomatosis melanocesioflammea

1. Toda K. Two cases of a new type of phacomatosis pigmentovascularis Ota. Jpn J Dermatol. 1966;76:47-51. Japanese.
2. Ogawa K, Kawamura T. Phacomatosis pigmento vascularis (Ota Kawamura). Rinsho Derma 1973;15:405-12. Japanese.
3. Hasegawa Y, Yasuhara M. A variant of phacomatosis pigmentovascularis. Skin Res. 1979;21:178-86. Japanese.
4. Youn JI, Joh GY, Lee AY, Lee YS. Four cases of phakomatosis pigmentovascularis. Korean J Dermatol. 1985;23:112-9. Korean.
5. Sawada Y, Iwata M, Mitsuhashi Y. Nevus pigmentovascularis. Ann Plast Surg. 1990;25:142-5.
6. Itodagawa Y. Phacomatosis pigmentovascularis type 4a associated with multiple pigmented freckles. Jpn J Clin Dermatol. 1994;48:697-9. Japanese.
7. Choi JY, Lee MH, Haw CR. A Case of Phakomatosis Pigmentovascularis Associated with Leg - Length Discrepancy. Korean J Dermatol. 1994;32:707-12. Korean.
8. Chen W, Happle R. Phacomatosis pigmentovasculosebacea: an unusual case of phacomatosis multiplex. Eur J Dermatol. 2003;13:231-3.
9. Vidaurri-de la Cruz H, Tamayo-Sánchez L, Durán-McKinster C, Orozco-Covarrubias Mde L, Ruiz-Maldonado R. Phakomatosis pigmentovascularis II A and II B: clinical findings in 24 patients. J Dermatol. 2003;30:381-8.

10. Ben Saif GA, AlShehab SA, Almutawa A. Unusual combination of pigmentary lesions. Int J Dermatol. 2010;49:1059-62.
11. Jun HJ, Kim SM, Cho SH, Lee JD, Kim HS. Phacomatosis pigmentovascularis type Vb in a three-year old boy. Ann Dermatol. 2015;27:353-4.
12. Yin RR, Sun YJ, Li L, Wang C, Ma L. Clinical analysis of 18 cases of children with phakomatosis pigmentovascularis. J Clin Dermatol. 2017;46:483-7. Chinese.
13. Tibrewal S, Lalramhluni R, Khurana R, Ganesh S. Phacomatosis pigmentovascularis. DOS Times. 2018;23:55.
14. Dutta A, Ghosh SK, Debabrata Bandyopadhyay D , Bhanja DB, Biswas SK. Phakomatosis pigmentovascularis: a clinical profile of 11 Indian patients. Indian J Dermatol. 2019;64:217-23.
15. Wataya-Kaneda M, Maeda S, Nakamura A, Hayashi M, Fujimoto M. Verification of the efficacy of topical sirolimus gel for systemic rare vascular malformations: a pilot study. J Dermatol. 2023;50:1619-24.
16 Zhang B, He R, Wu R , Yang Z, Hu M, Zhang N, et al. Somatic GNA11/GNAQ variants in a cohort of Chinese children with phakomatosis pigmentovascularis. Pediatr Investig. 2024;8: 117-25.

VII – Articles containing phacomatosis pigmentovascularis cases with a diagnosis of judged to be redundant with other publications

1. Tsuruta D. A case of phacomatosis pigmentovascularis type IIIb. Jpn J Dermatol. 1994;104:392. Japanese.
2. Komiyama M, Kitano S, Sakamoto H, Shiomi M. An additional variant of the persistent primitive trigeminal artery: accessory meningeal artery–antero-superior cerebellar artery anastomosis associated with moyamoya disease. Acta Neurochir (Wien). 1998;140:1037-42.
3. Lo PY, Tzung TY. Phakomatosis Pigmentovascularis Type IIb with Patent Umbilical Vein and Inferior Vena Cava Hypoplasia. Chin J Dermatol. 2002;20(3):241-7. Chinese.
4. Ecra E, Enoh S, Sangaré A, Gbéry I, Azagoh K, Boni S, et al. CA40-Phacomatose pigmentovasculaire: un cas au CHU de Treichville. [CA40-Phakomatosis pigmentovascularis: a case at the Treichville CHU]. Ann Dermatol Venereol. 2007;134:83. French.
5. Kollmar A, Mempel M, Ring J. Phacomatosis cesiomarmorata-ein Fallbericht: P11/05. [Phacomatosis cesiomarmorata – a case report: P11/05]. J Dtsch Dermatol Ges. 2007;5(Suppl 2):S193-4. German.
6. Yin Z, Bi Z, Zhao B. Pigmented vascular nevus hamartoma: a case report. In: The 14th National Academic Conference on Dermatology and Venereal Diseases of the Chinese Medical Association; 2008 Jun; Nanjing, Jiangsu, China. p. 630-1. Chinese.
7. Tang J. Clinical study of 51 cases of pigmented vascular macular hamartoma. In: The 18th National Academic Conference on Dermatology and Venereal Diseases of the Chinese Medical Association; 2012 Jun 12; Beijing, China. Chinese.
8. Li M. Clinical analysis of 14 cases of pigmented vascular macular hamartomatosis. In: The 18th National Academic Conference on Dermatology and Venereal Diseases of the Chinese Medical Association; 2012 Jun 12; Beijing, China. Chinese.
9. Kim HR, Park SM, Kim HS, Cho SH, Lee JD. P271: Phacomatosis pigmentovascularis type Vb in a 3-Year old boy. Korean Assoc Dermatol Progr Book. 2014;66:394. Korean.
10. Mammadova N, Atalay HT, Novrozlu Ş, Hepşen İF, Aktaş Z. Fakomatozis pigmentovaskülaris ile birlikte gelişimsel glokomlu bir olgu. [A case of developmental glaucoma with phakomatosis pigmentovascularis.]. In: Türk Oftalmoloji Derneği 48; 2014 November 5-9; Antalya, Turkey. Turkish.
11. Soo HW, Joo IK, Su RH, Seok KY, Han UK, Park J. A unique case of Phakomatosis pigmentovascularis IIb with left-sided hemihypertrophy and Becker`s nevus. Korean Assoc Dermatol Progr Book. 2015;67:482. Korean.
12. Vabres P, Thomas A, Zeng Z, Rivière JB, O'Shaughnessy R, Al-Olabi L, et al. Mutations activatrices de GNA11 et GNAQ en mosaïque dans les phacomatoses pigmento-vasculaires et les taches mongoliques étendues. [Mosaic activating mutations of GNA11 and GNAQ in pigmento-vascular phakomatoses and extensive Mongolian spots]. Ann Dermatol Venereol. 2015; 142:S469-70. French.
13. Joo HJ, Woo YJ, Han JH, Kang H, Kim JE. P105: A case of recalcitrant leg ulcer treated with platelet-rich plasma therapy in a patient with phakomatosis pigmentovascularis. Korean Assoc Dermatol Progr Book. 2016;68:334-5. Korean.
14. Hahm JE, Ha JW, Park SE, Lee JY, Kim CW, Kim SS. P245: A 2-year-old baby with phacomatosis pigmentovascularis type Iia. Korean Assoc Dermatol Progr Book. 2016;68:387. Korean.
15. Beleford DT, Sabbadini M, Slavotinek A, Shieh J. Characterisation of cutaneous mosaicism using distinct genomic technologies: gnaq and recognition of a mosaic rasopathy. J Invest Med. 2018:66:173.
16. Kumar A, Zastrow D, Prybol C, Manning M, Huang Y, Fisher P, et al. Phacomatosis pigmentovascularis: a case with somatic mutation in gnaq and atypical phenotypic features. J Invest Med. 2018;66:202.
17. Yang C, Hawryluk E, Kourosh AS. Phakomatosis pigmentovascularis type V: A case report. J Am Acad Dermatol. 2018;79: 3(Suppl 1):AB220.
18. Kim YE, Shin H, Kim YG, Park H. Clinical characteristics and treatment of 52 cases of phakomatosis pigmentovascularis. Korean Assoc Dermatol Progr Book. 2019;71:416-7. Korean.
19. Abasq-Thomas C, Audebert S, Carmignac V, Brosseau-Beauvir A, Brenaut E, Misery L, et al. Première observation de phacomatose cesioflammea associée à une agénésie totale du corps calleux. [First observation of phacomatosis cesioflammea associated with total agenesis of the corpus callosum]. Ann Dermatol Venereol FMC. 2022;2(8 Suppl 1):A273-4. French.
20. Aguiar B, Vidreiro I, Cavaco H, Saldanha J. Mais que uma mancha mongólica extensa. [More than just an extensive Mongolian patch.]. In: XXVII Jornadas de Pediatria Hospital Santa Maria CHULN; 2022 Feb 24-25; Lisboa, Portugal. DOI: 10.13140/RG.2.2.21702.75840. Portuguese.

VIII – Articles containing cases with a diagnosis of nevus cesius-associated phacomatosis pigmentovascularis judged to be wrong

1. Cabrera HN, Della Giovanna PS. Hamartoma melanocítico dérmico y facomatosis pigmento-vascular. [Dermal melanocytic hamartoma and phacomatosis [pigmentovascularis]. Arch Argent Dermatol. 1990;40:207-17. Spanish.

2. Joshi A, Manchanda Y, Rijhwani M. Port-wine-stain with rare associations in two cases from Kuwait: phakomatosis pigmentovascularis redefined. Gulf J Dermatol Venereol. 2011;18: 59-64.
3. Kováčová MS, Martinásková MK. Phacomatosis pigmentovascularis–kazuistika u dojčaťa. [Phacomatosis pigmentovascularis – a case report in an infant]. Dermatol Prax. 2011;5:176-7. Slovak.
4. Carvalho CH, Batista LM, Bornemann A, Acioly MA, Tatagiba M. Skull base tumor in a patient with phacomatosis pigmentovascularis. Brain Pathol. 2011;21:705-8.
5. Tchidjou HK, Macchiaiolo M, Ariganello P, Carducci FC, De Vito R, De Benedetti F, et al. Kikuchi-Fujimoto disease in patient with systemic phacomatosis pigmentovascularis. Blood Coagul Fibrinolysis. 2014;25:783-5.
6. Dorokhova O, Lee D, Jacobson M, Amin B. Capillary hemangioma, blue nevus and dermal melanocytosis, a variant of phakomatosis pigmentovascularis? J Cutan Pathol. 2015;42:e120.
7. Jehangir M, Quyoom S, Bhat J, Sajad P, Sofi I, Amin A, et al. Phakomatosis pigmentovascularis with lower limb vascular abnormalities in a young Kashmiri male child-Report of a first child from Kashmir Valley (India) and review of literature. Our Dermatol Online. 2016;7:87-90.
8. Moon SH, Cho SH, Lee JD, Kim HS. P406: A case of phakomatosis pigmentovascularis presenting with Klippel Trenaunay Syndrome. Korean Assoc Dermatol Progr Book. 2018;70:464. Korean.
9. Kim Y, Kim WI, Yang MY et al. P455: A case of unclassifiable phakomatosis pigmentovascularis. Korean Assoc Dermatol Progr Book. 2018;70:483. Korean.
10. Kola B, Mehrafza M, Kane A. Phacomatosis Pigmentovascularis: Simple Presentation of a Not So Simple Dermatological Condition. Clin Pediatr (Phila). 2019;58:485-7.
11. Zhang Y, Wang D, Zhang L, Wen L, Zhang H, Zhang G, et al. Hematoporphyrin monomethyl ether-mediated photodynamic therapy temporarily relieves severe pruritis from phakomatosis pigmentovascularis: A case report. Photodiagnosis Photodyn Ther. 2021;33:102180.
12. Pipal DK, Pipal RK, Verma V, Pipal VR, Yadav S. Raynaud's Phenomenon and Limb Hypertrophy Presenting Phacomatosis Pigmentovascularis: A Rare Association. Cureus. 2022;14: e25900.

IX – Articles containing possible instances of phacomatosis pigmentovascularis, but that were excluded due to unavailable or insufficient data

1. Ota M, Kawamura T, Ito N. Phacomatosis pigmentovascularis. Jpn J Dermatol. 1947;57:1-31. Japanese.
2. Gamboa-Barragán JÁ, Fernández-Alvarez H, Ordaz-Favila JC. Estabilidad de los tratamientos en glaucoma asociado a síndrome de Sturge-Weber. [Stability of treatments in glaucoma associated with Sturge-Weber syndrome]. Rev Mex Oftalmol. 2003;77:176-9. Spanish.
3. Güneş AT, Akarsu S, Fetil E, Gürler AN, Erdem Y, Birgin B. Mogol lekesi ve eşlik eden dermatozlarin sikligi. [Frequency of Mongolian spot and accompanying dermatoses]. Turkiye Klinikleri Dermatoloji. 2010;20:1-6. Turkish.
4. Huang Y, Li X. Pigmented vascular macular hamartoma. In: The 18th National Academic Conference on Dermatology and Venereal Diseases of the Chinese Medical Association; 2012 Jun 12; Beijing, China.
5. Pavant T, Buisseret D, Depasse F, Schrooyen M, Cordonnier M. Syndrome de Sturge-Weber associé à une phacomatose pigmento-vasculaire: à propos d'un cas. [Sturge-Weber syndrome associated with phakomatosis pigmentovascularis: a case report]. In: 120e Congrès de la Société Française d'Ophtalmologie; 2014 May 10-13; Paris, France. Franch.
6. Boccara O, Kaltenbach S, Soupre V, Massoni C. Étude comparative des malformations veineuses tronculaires associées aux syndromes hypertrophiques. [Comparative study of truncal venous malformations associated with hypertrophic syndromes]. Ann Dermatol Venereol FMC. 2022;2(8 Suppl 1):A80-1. French.
7. Andole S, Senthil S. Episcleral capillary malformation in Sturge Weber syndrome (SWS) and phakomatosis pigmentovascularis (PPV). Ind J Ophthalmol-Case Rep. 2023;3:969.
8. Silverstone L, Álvarez A. Genital tumor and pain in a patient whith Phakomatosis pigmentovascularias [Internet]. Radiopaedia.org. 2024. DOI: 10.53347/rID-199719.